
MUSCLE & NERVE



Official Journal of the American Association of Neuromuscular & Electrodiagnostic Medicine

VOLUME 37

ISSUES 1-6

JANUARY-JUNE 2008

 **WILEY**
Publishers Since 1807

EDITOR

Lawrence H. Phillips II, MD
Department of Neurology
University of Virginia
Charlottesville, Virginia

PAST EDITORS

Walter G. Bradley, DM, FRCP
(Founding Editor, 1978–1987)

Jun Kimura, MD
(Editor, 1988–1997)

Michael J. Aminoff, MD, DSc, FRCP
(Editor, 1998–2007)

EDITORIAL PRODUCTION

Sarah Whalen
John Wiley & Sons, Inc.

ASSOCIATE EDITORS

Anthony A. Amato, MD
Boston, Massachusetts

Salvatore DiMauro, MD
New York, New York

James M. Gilchrist, MD
Providence, Rhode Island

Robert A. Werner, MD
Ann Arbor, Michigan

Gil Wolfe, MD
Dallas, Texas

EDITORIAL BOARD

Michael Benatar, MD
Atlanta, Georgia

Thomas Brannagan, MD
New York, New York

Mark B. Bromberg, MD, PhD
Salt Lake City, Utah

Gregory T. Carter, MD
Seattle, Washington

K. Ming Chan, MD
Edmonton, Canada

Robert Chen, MB, BChir
Toronto, Canada

Jasper R. Daube, MD
Rochester, Minnesota

Reinhard Dengler, MD
Hannover, Germany

Timothy J. Doherty, MD, PhD
London, Canada

Peter D. Donofrio, MD
Winston-Salem, North Carolina

Mary Kay Floeter, MD, PhD
Bethesda, Maryland

Hans H. Goebel, MD
Mainz, Germany

Eric P. Hoffman, PhD
Washington, DC

John T. Kissel, MD
Columbus, Ohio

Lisa S. Krivickas, MD
Boston, Massachusetts

Kerry H. Levin, MD
Cleveland, Ohio

Jon M. Lindstrom, PhD
Philadelphia, Pennsylvania

Eric L. Logigian, MD
Rochester, New York

Catherine Lomen-Hoerth, MD, PhD
San Francisco, California

Daniel Menkes, MD
Memphis, Tennessee

John E. Miasiaszek, PhD
Edmonton, Canada

Hiroshi Mitsumoto, MD
New York, New York

Rachel Nardin, MD
Boston, Massachusetts

Garth A. Nicholson, MB, BS, PhD
Sydney, Australia

Eduardo Nobile-Orazio, MD, PhD
Milan, Italy

Simon Podnar, MD
Ljubljana, Slovenia

Uwe Proske, DSc
Melbourne, Australia

Michael B. Reid, PhD
Lexington, Kentucky

Caroline Sewry, PhD, FRCPATH
Oswestry, United Kingdom

Andreas J. Steck, MD
Basel, Switzerland

John D. Stewart, MB, BS
Vancouver, Canada

Dobrovoje Stokic, MD
Jackson, Mississippi

Jeffrey Strakowski, MD
Columbus, Ohio

Mark Tarnopolsky, MD, PhD
Hamilton, Canada

Michael D. Weiss, MD
Seattle, Washington

Hugh J. Willison, MB, BS, PhD
Glasgow, United Kingdom

Machiel J. Zwarts, MD, PhD
Nijmegen, The Netherlands

Muscle & Nerve (Print ISSN 0148-639X; Online ISSN 1097-4598 at Wiley InterScience, www.interscience.wiley.com) is published monthly, two volumes per year, by Wiley Subscription Services, Inc., a Wiley Company, 111 River Street, Hoboken, NJ 07030. Periodicals postage paid at Hoboken, NJ, and at additional mailing offices.

Copyright © 2008 Wiley Periodicals, Inc., a Wiley Company. All rights reserved. No part of this publication may be reproduced in any form or by any means, except as permitted under section 107 or 108 of the 1976 United States Copyright Act, without either the prior written permission of the publisher, or authorization through the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, (978) 750-8400, fax (978) 750-4470.

The contents of this journal are indexed or abstracted in BIOBASE, Biological Abstracts®, BIOSIS Previews®, CAB Abstracts®, Cambridge Scientific Abstracts, Chemical Abstracts Service/SciFinder, CINAHL: Cumulative Index to Nursing & Allied Health Literature, CSA Biological Sciences Database, CSA Environmental Sciences & Pollution Management Database, Current Awareness in Biological Sciences, Current Contents®/Life Sciences, EMBASE/Excerpta Medica, Index Medicus/MEDLINE/PubMed, Journal Citation Reports/Science Edition, Neuroscience Citation Index™, PASCAL Database, Reference Update, Science Citation Index Expanded™, Science Citation Index®, SCOPUS, Web of Science®.

Address for manuscript submission inquiries: Lawrence H. Phillips II, MD, Department of Neurology, University of Virginia, P.O. Box 800394, Charlottesville, Virginia 22908-0394.

Disclaimer: All articles published, including but not limited to original research, clinical notes, editorials, reviews, reports, letters, and book reviews, represent the opinions and views of the authors and do not reflect any official policy or medical opinion of the American Association of Neuromuscular & Electrodiagnostic Medicine, the institutions with which the authors are affiliated, or the Publisher unless this is clearly specified. Articles published herein should not be relied upon as recommending or promoting a specific method, diagnosis, or treatment by physicians for any particular patient or disorder.

Although the Editor and Publisher believe that drug selections and dosages and the specifications and usage of equipment and devices as set forth herein are in accord with current recommendations and practice at the time of publication, they accept no legal responsibility for any errors or omissions, and make no warranty, express or implied, with respect to material contained herein.

Subscription price: (Volumes 37–38, 2008): Print only: \$2,551 in US; \$2,719 in Canada and Mexico; \$2,803 outside North America. For all other prices, please consult the journal's website at www.interscience.wiley.com/mus. All subscriptions containing a print element, shipped outside US, will be sent by air. Payment must be made in US dollars drawn on a US bank. Claims for undelivered copies will be accepted only after the following issue has been delivered. Please enclose a copy of the mailing label. Missing copies will be supplied when losses have been sustained in transit and where reserve stock permits. Please allow four weeks for processing a change of address. For subscription inquiries, please call (201) 748-6645; e-mail: SUBINFO@wiley.com.

Postmaster: Send address changes to Muscle & Nerve, Subscription Distribution, c/o John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030.

Delivery Terms and Legal Title: Prices include delivery of print journals to the recipient's address. Delivery terms are Delivered Duty Unpaid (DDU); the recipient is responsible for paying any import duty or taxes. Legal title passes to the customer on despatch by our distributors.

Advertising/Sales: Inquiries should be forwarded to M.J. Mvica and Associates, Inc., 2 West Taunton Avenue, Berlin, NJ 08009; (856) 768-9360.

Reprints: Reprint sales and inquiries should be directed to the Reprints Department, c/o John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030; (201) 748-8789.

Other Correspondence: Address all other correspondence to: Muscle & Nerve, c/o John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030. Permission requests and other permission inquiries should be addressed to the Permissions Department, c/o John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030; (201) 748-6011, fax (201) 748-6008, e-mail: permreq@wiley.com.

Ⓢ This paper meets the requirements of
ANSI/NISO Z39.48-1992 (Permanence of
Paper).



WILEY-BLACKWELL

Supported in part by the Muscular Dystrophy

Association **MDA**

AUTHOR INDEX TO VOLUME 37

A

- Al-Kadhimi Z, see Grommes C
 Allen DC, Arunachalam R, Mills KR:
 Critical illness myopathy: Further
 evidence from muscle-fiber excitability
 studies of an acquired channelopathy, 14
 Almeida S, Riddell MC, Cafarelli E:
 Slower conduction velocity and motor
 unit discharge frequency are associated
 with muscle fatigue during isometric
 exercise in type 1 diabetes mellitus, 231
 Alshekhlee A, see Grommes C
 al-Shubaili AFK, see Khuraibet AJ
 Ametller E, see Argilés JM
 Anderson JA, Ng JJ, Bowe C, McDonald
 C, Richman DP, Wollmann RL, Maselli
 RA: Variable phenotypes associated
 with mutations in *DOK7*, 448
 Appel SH, see Voustianiouk A
 Arabadzhiiev TI, Dimitrov GV, Chakarov
 VE, Dimitrov AG, Dimitrova NA:
 Changes in intracellular action
 potential profile affect parameters used
 in turns/amplitude analysis, 713
 Arabadzhiiev TI, Dimitrov GV, Chakarov
 VE, Dimitrov AG, Dimitrova NA: Effects
 of changes in intracellular action
 potential on potentials recorded by
 single-fiber, macro, and belly-tendon
 electrodes, 700
 Argilés JM, Figueras M, Ametller E, Fuster
 G, Olivan M, Fontes de Oliveira CC,
 López-Soriano FJ, Isfort RJ, Busquets S:
 Effects of CRF2R agonist on tumor
 growth and cachexia in mice implanted
 with Lewis lung carcinoma cells, 190
 Argyriou AA, see Makridou A
 Arts IMP, see Pillen S
 Arunachalam R, see Allen DC
 Attarian S, Vedel JP, Pouget J, Schmied A:
 Progression of cortical and spinal
 dysfunctions over time in amyotrophic
 lateral sclerosis, 364

B

- Baba H, see Nakata M
 Bacou F, see César M
 Baloh RW, see Shook SJ
 Bamforth JS, see Kolski HK
 Bani C, Lagrota-Candido J, Florindo
 Pinheiro D, Correa Leite PE, Salimena
 MC, Henriques-Pons A, Quirico-Santos
 T: Pattern of metalloprotease activity

- and myofiber regeneration in skeletal
 muscles of *mdx* mice, 583
 Barbata V, see Vandenburg H
 Barbiroli B, see Martinuzzi A
 Barohn RJ, see Jackson CE
 Baryshnik D, see Zinman L
 Bauman WA, see Zhao J
 Bednarik J, see Vlcková-Moravcová E
 Behbehani R, see Khuraibet AJ
 Bendahan D, see Giannesini B
 Benesch-Lee F, see Vandenburg H
 Benny B, see Cashman N
 Berciano J, see García A
 Bethoux FA, see McClelland S III
 Betters JL, Long JHD, Howe KS, Braith
 RW, Soltow QA, Lira VA, Criswell DS:
 Nitric oxide reversed prednisolone-
 induced inactivation of muscle satellite
 cells, 203
 Biasella A, see Gianneschi F
 Blankinship MJ, see Gregorevic P
 Bliem B, see Richardson SP
 Blijham PJ, Drost G, Stegeman DF, Zwarts
 MJ: Reduced muscle-fiber conduction
 but normal slowing after cold exposure
 in paramyotonia congenita, 23
 Bogdanovich S, McNally EM, Khurana TS:
 Myostatin blockade improves function
 but not histopathology in a murine
 model of limb-girdle muscular
 dystrophy 2C, 308
 Booth FW, see Rathbone CR
 Bornemann A, see Doppler K
 Botter A, see Minetto MA
 Boulis NM, see McClelland S III
 Bowe C, see Anderson JA
 Braith RW, see Betters JL
 Bril V, see Zinman L
 Broccolini A, see Gidaro T
 Brown ME, see Cartwright MS
 Brunner N, see Grob D
 Bruno C, see Massa R
 Budowle B, see Budowle SA
 Budowle SA, Gonzalez S, Budowle B,
 Eisenberg AJ, Grange RW: A novel
 SNaShot assay to detect the *mdx*
 mutation, 731
 Burns J, see Rose KJ
 Burns TD, see Hobson-Webb L
 Busquets S, see Argilés JM

C

- Cafarelli E, see Almeida S
 Calmels P, see El Mhandi L

- Campbell WW, see Lupu VD
 Cannon SC, see Struyk AF
 Capasso M, Di Muzio A, Pandolfi A, Pace
 M, Di Tomo P, Ragno M, Uncini A:
 Possible role for nitric oxide
 dysregulation in critical illness
 myopathy, 196
 Caporale CM, see Notturmo F
 Cardozo C, see Zhao J
 Caress JB, see Cartwright MS
 Cartwright MS, Passmore LV, Yoon JS,
 Brown ME, Caress JB, Walker FO:
 Cross-sectional area reference values for
 nerve ultrasonography, 566
 Cashman N, Tan LY, Krieger C, Mädlar B,
 Mackay A, Mackenzie I, Benny B, Nantel
 S, Fabros M, Shinobu L, Yousefi M, Eisen
 A: Pilot study of granulocyte colony-
 stimulating factor (G-CSF)-mobilized
 peripheral blood stem cells in
 amyotrophic lateral sclerosis (ALS), 620
 César M, Roussanne-Domergue S, Coulet
 B, Gay S, Micallef JP, Chammas M,
 Reyne Y, Bacou F: Transplantation of
 adult myoblasts or adipose tissue
 precursor cells by high-density injection
 failed to improve reinnervated skeletal
 muscles, 219
 Chakarov VE, see Arabadzhiiev TI
 Chamberlain JS, see Gregorevic P
 Chammas M, see César M
 Chan A, see Lee DH
 Chang HS, see Huang YC
 Chen CM, see Huang YC
 Cheng S, see Wen H
 Chen L, see Huang YC
 Chin AB, Garmirian LP, Rutkove SB:
 Optimizing measurement of the
 electrical anisotropy of muscle, 560
 Chisaka A, see Wakamoto H
 Cochrane TI: Cervical myelopathy caused
 by retrograde intraneural dissection of
 anesthetic solution, 547
 Collins DF, see Lagerquist O
 Correa Leite PE, see Bani C
 Côté CH, Tremblay MH, Duchesne É,
 Lapoite BM: Inflammation-induced
 leukocyte accumulation in injured
 skeletal muscle: Role of mast cells, 754
 Coulet B, see César M
 Cozzone PJ, see Giannesini B
 Crawford G, see Vandenburg H
 Crawford RW, see Gregorevic P
 Criscuolo C, see García A
 Criswell DS, see Betters JL
 Czaplinski A, see Voustianiouk A

D

- Dalmasso C, see Giannesini B
Dang N, see Richardson SP
Danielian L, see Lupu VD
De Grandis D, see Minetto MA
Delhaas T, see Drost MR
de Michele G, see Garcia A
Descatha A, see Roquelaure Y
De Stefano N, see Massa R
DiCarlo SE, see Drummond MJ
Dimitrov AG, see Arabadzhev TI
Dimitrova NA, see Arabadzhev TI
Dimitrov GV, see Arabadzhev TI
Di Muzio A, see Capasso M
Di Tomo P, see Capasso M
Dominici F, see Gianneschi F
Doppler K, Mittelbronn M, Bornemann A: Myogenesis in human denervated muscle biopsies, 79
Doucet BM, Griffin L: Maximal *versus* submaximal intensity stimulation with variable patterns, 770
Dou Z, see Wen H
Drost G, see Blijham PJ; Kleine BU
Drost MR, Schaart G, van Dijk P, van Cepelle CI, van der Vusse GJ, Delhaas T, van der Ploeg AT, Reuser AJJ: Both type 1 and type 2a muscle fibers can respond to enzyme therapy in Pompe disease, 251
Drummond MJ, Glynn EL, Lujan HL, DiCarlo SE, Rasmussen BB: Gene and protein expression associated with protein synthesis and breakdown in paraplegic skeletal muscle, 505
Duchesne É, see Côté CH
Dullinger JS, see Meyer T
Dušek L, see Visková-Moravcová E
Dyck PJ, see Garces-Sanchez M

E

- Eisen A, see Cashman N
Eisenberg AJ, see Budowle SA
El Mhandi L, Millet GY, Calmels P, Richard A, Oullion R, Gautheron V, Féasson L: Benefits of interval-training on fatigue and functional capacities in Charcot-Marie-Tooth disease, 601
Elstner M, see Rupprecht TA
Enoka JA, see Poston B
Enoka RM, see Poston B; Riley ZA
Epplen JT, see Münch C

F

- Fabros M, see Cashman N
Falla D, see Farina D
Farina D, see Nielsen M
Farina D, Falla D: Effect of muscle-fiber velocity recovery function on motor unit action potential properties in voluntary contractions, 650
Féasson L, see El Mhandi L
Federico A, see Massa R
Figueroas M, see Argilés JM
Finni T, see Wen H
Floeter MK, see Lupu VD
Flore P, see Vivodtzev I

- Florindo Pinheiro D, see Bani C
Foley JL, Little JW, Vaezy S: Effects of high-intensity focused ultrasound on nerve conduction, 241
Fontes de Oliveira CC, see Argilés JM
Frare M, see Martinuzzi A
Fuster G, see Argilés JM

G

- Garces-Sanchez M, Dyck PJ, Kyle RA, Zeldenrust S, Wu Y, Ladha SS, Klein CJ: Antibodies to myelin-associated glycoprotein (Anti-MAG) in IgM amyloidosis may influence expression of neuropathy in rare patients, 490
García A, Criscuolo C, de Michele G, Berciano J: Neurophysiological study in a Spanish family with recessive spastic ataxia of Charlevoix-Saguenay, 107
Garmirian LP, see Chin AB
Garvey SM, Liu Y, Miller SE, Hauser MA: Myotilin overexpression enhances myopathology in the LGMD1A mouse model, 663
Gautheron V, see El Mhandi L
Gay S, see César M
Gerner P, Strichartz GR: Sensory and motor complications of local anesthetics, 421
Gianneschi F, Milani P, Mondelli M, Dominici F, Biasella A, Rossi A: Ulmar sensory nerve impairment at the wrist in carpal tunnel syndrome, 183, 673
Giannesini B, Izquierdo M, Dalmasso C, Le Fur Y, Cozzone PJ, Verleye M, Le Guern ME, Gillardin JM, Bendahan D: Endotoxemia does not limit energy supply in exercising rat skeletal muscle, 496
Gidaro T, Modoni A, Sabatelli M, Tasca G, Broccolini A, Mirabella M: An Italian family with inclusion-body myopathy and frontotemporal dementia due to mutation in the VCP gene, 111
Gillardin JM, see Giannesini B
Glynn EL, see Drummond MJ
Gogol DM, see McClelland S III
Goldberg M, see Roquelaure Y
Gold R, see Lee DH
Gonzalez S, see Budowle SA
Gordon TP, see Jackson MW
Grange RW, see Budowle SA
Graven-Nielsen T, see Nielsen M
Gregorevic P, Mezmarich NA, Blankinship MJ, Crawford RW, Chamberlain JS: Fluorophore-labeled myosin-specific antibodies simplify muscle-fiber phenotyping, 104
Griffin L, see Doucet BM
Griffith EE, see Yoon T
Grill WM, see Kayagil TA
Grimes JP, see Kayagil TA
Grob D, Brunner N, Namba T, Pagala M: Lifetime course of myasthenia gravis, 141
Grommes C, Preston DC, Al-Kadhimi Z, Alshekhlee A: Lambert-Eaton syndrome with large-cell neuroendocrine carcinoma of the lung, 786

- Gronseth G, see Jackson CE
Gu YD, see Huang YG

H

- Ha C, see Roquelaure Y
Haginomori SI, Wada SI, Takamaki A, Nonaka R, Takenaka H, Takubo T: A new method for measuring compound muscle action potentials in facial palsy: A preliminary study, 764
Hallett M, see Richardson SP
Harding B, see Varsani H
Harrison M, see McClelland S III
Hartung HP, see Zu Hörste GM
Hatanaka Y, see Kuwabara S
Hatanaka Y, Oh SJ: Ten-second exercise is superior to 30-second exercise for post-exercise facilitation in diagnosing Lambert-Eaton myasthenic syndrome, 572
Hattori T, see Nakata M
Hauser MA, see Garvey SM
Havu M, see Wen H
Henriques-Pons A, see Bani C
Herbelin L, see Jackson CE
Hirashima F, see Kuwabara S
Hobson-Webb L, Burns TD: The more the merrier?, 555
Holton JL, see Varsani H
Hoshi T, see Nakata M
Howe KS, see Betters JL
Huang YG, Ro LS, Chang HS, Chen CM, Wu YR, Lee JD, Lyu RK: A clinical study of Hirayama disease in Taiwan, 576
Huang YG, Chen L, Gu YD, Yu GR: Histopathological basis of Horner's syndrome in obstetric brachial plexus palsy differs from that in adult brachial plexus injury, 632
Huebner A, see Meyer T
Hunter SK, see Yoon T
Hu W, see Zu Hörste GM

I

- Ikedo SI, see Tojo K
Imbernon E, see Roquelaure Y
Inaba A, see Kuwabara S
Inoue N, see Wakamoto H
Isfort RJ, see Argilés JM
Ishihara H, see Koide Y
Isoardo G, Troni W: Sporadic bulbospinal muscle atrophy with facial-onset sensory neuropathy, 659
Izquierdo M, see Giannesini B

J

- Jabbari B, see Lupu VD
Jackson CE, Barohn RJ, Gronseth G, Pandya S, Herbelin L, The Muscle Study Group (MSG): Inclusion body myositis functional rating scale: A reliable and valid measure of disease severity, 473
Jackson MW, Gordon TP, McCombe PA: Autoantibody-mediated bowel and

bladder dysfunction in a patient with chronic, nondiabetic neuropathy, 537
 Jen JC, see Shook SJ
 Jesse K, see Lowenstein L
 Johnsen JA, see Lupu VD
 Jones HR Jr, see Patel DR
 Jurkat-Rott K, see Meyer T

K

Kaczor JJ, see Robertshaw HA
 Kadi F, see Ponsot E
 Kaisto T, see Papponen H
 Kanai K, see Nakata M
 Kanda F, see Koide Y
 Kang Z, see Wen H
 Karanasios P, see Makridou A
 Karpatis G, see Nadeau A
 Kavagil TA, Grimes JP, Grill WM:
 Mechanisms underlying reversal of motor unit activation order in electrically evoked contractions after spinal cord injury, 210
 Kemp GJ, see Martinuzzi A
 Kenton K, see Lowenstein L
 Khan RA, see Khuraibet AJ
 Khuraibet AJ, Rouseff RT, Behbehani R, al-Shubaili AFK, Khan RA: Single-fiber electromyography of masseter muscle in myasthenia gravis, 522
 Khurana TS, see Bogdanovich S
 Kiernan MC, see Vucic S
 Kicsier BC, see Zu Hörste GM
 Kimiagar Y, see Kushnir M
 Kimura J, see Taniguchi S
 Kizilay F, Ryan HF Jr, Oh SJ: Myasthenia gravis and Guillain-Barré syndrome occurring simultaneously in the same patient, 544
 Klein C, see Kushnir M
 Klein CJ, see Garces-Sanchez M
 Kleine BU, Stegeman DF, Drost G, Zwarts MJ: Interspike interval analysis in a patient with peripheral nerve hyperexcitability and potassium channel antibodies, 269
 Klier M, see Robinson L
 Knepper L, see Patel DR
 Koide Y, Ishihara H, Kanda F: Nodular-type muscle sarcoidosis developing after a dog bite, 262
 Kolski HK, Leonard NJ, Lemmers RJLF, Bamforth JS: Atypical facet of Möbius syndrome: Association with facioscapulohumeral muscular dystrophy, 526
 Komori T, see Kuwabara S
 Kouyoumdjian JA, Stålberg EV: Reference jitter values for concentric needle electrodes in voluntarily activated extensor digitorum communis and orbicularis oculi muscles, 694
 Krahm M, see Seror P
 Krieger C, see Cashman N
 Kushnir M, Klein C, Kimiagar Y, Pollak L, Rabey JM: Distal lesion of the lateral femoral cutaneous nerve, 101
 Kuwabara S, see Nakata M
 Kuwabara S, Sonoo M, Komori T, Shimizu T, Hirashima F, Inaba A, Misawa S, Hatanaka Y, The Tokyo

Metropolitan Neuromuscular Electrodiagnosis Study Group: Dissociated small hand muscle atrophy in amyotrophic lateral sclerosis: Frequency, extent, and specificity, 426
 Kyle RA, see Garces-Sanchez M

L

Ladha SS, see Garces-Sanchez M
 Laforet P, see Seror P
 Lagerquist O, Collins DF: Stimulus pulse-width influences H-reflex recruitment but not H_{max}/M_{max} ratio, 483
 Lagrota-Candido J, see Bani C
 Lange DJ, see Voustantiouk A
 Lapointe BM, see Côté CH
 Lazaridis C, see Singer MA
 LeClerc A, see Roquelaure Y
 Lee DH, Linker RA, Paulus W, Schneider-Gold C, Chan A, Gold R: Subcutaneous immunoglobulin infusion: A new therapeutic option in chronic inflammatory demyelinating polyneuropathy, 406
 Lee JD, see Huang YC
 Lees SJ, see Rathbone CR
 Le Fur Y, see Giannesini B
 Le Guern ME, see Giannesini B
 Lehmann HC, see Zu Hörste GM
 Lehmann-Horn F, see Meyer T
 Lemmers RJLF, see Kolski HK
 Leonard NJ, see Kolski HK
 Leturcq F, see Seror P
 Lévy P, see Vivodtzev I
 Lexell J, see Ponsot E
 Liava A, see Martinuzzi A
 Li CK, see Varsani H
 Linke P, see Meyer T
 Linker RA, see Lee DH
 Lira VA, see Betters JL
 Litsey JC, see Riley ZA
 Little JW, see Foley JL
 Liu Y, see Garvey SM
 Lodi R, see Martinuzzi A
 Lomarev M, see Richardson SP
 Long JHD, see Betters JL
 López-Soriano FJ, see Argilés JM
 Lowenstein L, Jesse K, Kenton K:
 Comparison of perception threshold testing and thermal-vibratory testing, 514, 805
 Lujan HL, see Drummond MJ
 Lupu VD, Danielian L, Johnsen JA, Vasconcelos OM, Prokhorenko OA, Jabbari B, Campbell WW, Floeter MK: Physiology of the motor cortex in polio survivors, 177
 Lyu RK, see Huang YC

M

Machado RV, see Marques MJ
 Machida K, see Tojo K
 Mackay A, see Cashman N
 Mackenzie I, see Cashman N
 Mädlar B, see Cashman N
 Maffiuletti NA, see Pulkovski N
 Maisonobe T, see Seror P
 Makridou A, Argyriou AA, Karanasios P,

Makris N: Bilateral drop foot secondary to a primary tumor in the conus medullaris, 778
 Makris N, see Makridou A
 Malucelli E, see Martinuzzi A
 Mamsa H, see Shook SJ
 Mannors D, see Martinuzzi A
 Mannion AF, see Pulkovski N
 Marques MJ, Machado RV, Minatel E, Santo Neto H: Disodium cromoglycate protects dystrophin-deficient muscle fibers from leakiness, 61
 Martinuzzi A, Liava A, Trevisi E, Frare M, Tonon C, Malucelli E, Mannors D, Kemp GJ, Testa C, Barbioli B, Lodi R: Randomized, placebo-controlled, double-blind pilot trial of ramipril in McArdle's disease, 350
 Martorana A, see Massa R
 Maselli RA, see Anderson JA
 Massa R, Bruno C, Martorana A, De Stefano N, Van Diggelen OP, Federico A: Adult polyglucosar body disease: Proton magnetic resonance spectroscopy of the brain and novel mutation in the *GBE1* gene, 530
 McClelland S III, Bethoux FA, Boullis NM, Sutcliffe MH, Stough DK, Schwetz KM, Gogoi DM, Harrison M, Pioro EP: Intrathecal baclofen for spasticity-related pain in amyotrophic lateral sclerosis: Efficacy and factors associated with pain relief, 396
 McCombe PA, see Jackson MW
 McDonald C, see Anderson JA
 McKinnell IW, see Parise G
 McNally EM, see Bogdanovich S
 Meins M, see Münch C
 Mendez-Villanueva A, see Riley ZA
 Menkes DL, see Smith S
 Merletti R, see Minetto MA
 Metsikkö K, see Papponen H
 Meyer R, see Münch C
 Meyer T, see Münch C
 Meyer T, Jurkat-Rott K, Huebner A, Lehmann-Horn F, Linke P, Van Landeghem F, Dullinger JS, Spuler S: Progressive muscle atrophy with hypokalemic periodic paralysis and calcium channel mutation, 120
 Mezmarich NA, see Gregorevic P
 Micallef JP, see César M
 Milani P, see Gianneschi F
 Miller SE, see Garvey SM
 Miller TM: Differential diagnosis of myotonic disorders, 293
 Millet GY, see El Mhandi L
 Mills KR, see Allen DC
 Minatel E, see Marques MJ
 Minetto MA, Botter A, Ravenni R, Merletti R, De Grandis D: Reliability of a novel neurostimulation method to study involuntary muscle phenomena, 90
 Mirabella M, see Gidaro T
 Mirbagheri MM, Tsao CC, Rymer WZ: Changes of elbow kinetics and kinetics during 1 year after stroke, 387
 Misawa S, see Kuwabara S
 Mittelbronn M, see Doppler K
 Modoni A, see Gidaro T
 Mondelli M, see Gianneschi F

Münch C, Epplen JT, Meins M, Meyer R, Weber JR, Meyer T: Severe Guillain-Barré syndrome associated with chromosome 17p11.2-12 duplication, 256

The Muscle Study Group (MSG), see Jackson CE

Myllä R, see Papponen H

Myllä VV, see Papponen H

N

Nadeau A, Therrien C, Karpati G, Sinreich M: Danon disease due to a novel splice mutation in the *LAMP2* gene, 338

Nakano N, see Wakamoto H

Nakata M, Baba H, Kanai K, Hoshi T, Sawai S, Hattori T, Kuwabara S: Changes in Na⁺ channel expression and nodal persistent Na⁺ currents associated with peripheral nerve regeneration in mice, 721

Namba T, see Grob D

Nantel S, see Cashman N

Nations SP, see Singer MA

Newton KR, see Varsani H

Ng JJ, see Anderson JA

Nicolas G, see Roquelaure Y

Nielsen M, Graven-Nielsen T, Farina D: Effect of innervation-zone distribution on estimates of average muscle-fiber conduction velocity, 68

Nissinen M, see Papponen H

Nonaka R, see Haginomori SI

North KN, see Rose KJ

Notturno F, Caporale CM, Uncini A: Acute sensory ataxic neuropathy with antibodies to GD1b and GQ1b gangliosides and prompt recovery, 265

O

Oh SJ, see Hatanaka Y; Kizilay F

Okada F, see Taniguchi S

Olivan M, see Argilés JM

Ootsuka T, see Taniguchi S

Oullion R, see El Mhandi L

Ouvrier RA, see Rose KJ

P

Pace M, see Capasso M

Pagala M, see Grob D

Panchal J, see Voustianiouk A

Pandolfi A, see Capasso M

Pandya S, see Jackson CE

Pan J, see Zhao J

Papponen H, Nissinen M, Kaisto T, Myllä VV, Myllä R, Metsikkö K: F413C and A531V but not R894X myotonia congenita mutations cause defective endoplasmic reticulum export of the muscle-specific chloride channel CLC-1, 317

Parise G, McKinnell IW, Rudnicki MA: Muscle satellite cell and atypical myogenic progenitor response following exercise, 611

Passmore LV, see Cartwright MS

Patel DR, Knepper L, Jones HR Jr: Late-onset monomelic amyotrophy in a Caucasian woman, 115

Paulus W, see Lee DH

Peliet-Cady MC, see Roquelaure Y

Peviani SM, see Russo TL

Pfister HW, see Rupprecht TA

Phillips LH II: A new hand at the helm, 1

Pillen S, Arts IMP, Zwarts MJ: Muscle ultrasound in neuromuscular disorders, 679

Pioro EP, see McClelland S III

Podnar S, see Resman-Gaspersic A

Podnar S, Resman-Gaspersic A: Quantitative motor unit potential analysis in the diaphragm: A normative study, 518

Pollak L, see Kushnir M

Ponsot E, Lexell J, Kadi F: Skeletal muscle telomere length is not impaired in healthy physically active old women and men, 467

Poston B, Enoka JA, Enoka RM: Practice and endpoint accuracy with the left and right hands of old adults: The right-hemisphere aging model, 376

Pouget J, see Attarian S

Preston DC, see Grommes C

Prokhorenko OA, see Lupu VD

Pulkovski N, Schenk P, Maffiuletti NA, Mannion AF: Tissue Doppler imaging for detecting onset of muscle activity, 638

Punga AR, Sawada M, Stålberg EG: Electrophysiological signs and the prevalence of adverse effects of acetylcholinesterase inhibitors in patients with myasthenia gravis, 300

Q

Quagliotti Durigan JL, see Russo TL

Quirico-Santos T, see Bani C

R

Rabey JM, see Kushnir M

Ragno M, see Capasso M

Raha S, see Robertshaw HA

Raimbeau G, see Roquelaure Y

Rasmussen BB, see Drummond MJ

Rathbone CR, Booth FW, Lees SJ: FoxO3a preferentially induces p27^{Nip1} expression while impairing muscle precursors cell-cycle progression, 84

Ravenni R, see Minetto MA

Reid J, see Vandenberg H

Resman-Gaspersic A, Podnar S: Phrenic nerve conduction studies: Technical aspects and normative data, 36

Resman-Gaspersic A, see Podnar S

Reuser AJJ, see Drost MR

Reyne Y, see César M

Richard A, see El Mhandi L

Richardson SP, Bliem B, Lomarev M, Shamim E, Dang N, Hallett M: Changes in short afferent inhibition during phasic movement in focal dystonia, 358

Richman DP, see Anderson JA

Riddell MC, see Almeida S

Riley ZA, Terry ME, Mendez-Villanueva A, Litsey JC, Enoka RM: Motor unit recruitment and bursts of activity in the surface electromyogram during a sustained contraction, 745

Robertshaw HA, Raha S, Kaczor JJ, Tarnopolsky MA: Increased PFK activity and Glut4 protein content in McArdle's disease, 431

Robinson L, Klet M: Stop using arbitrary grading schemes in carpal tunnel syndrome, 804

Ro LS, see Huang YC

Roquelaure Y, Ha C, Peliet-Cady MC, Nicolas G, Descatha A, LeClerc A, Raimbeau G, Goldberg M, Imbernon E: Work increases the incidence of carpal tunnel syndrome in the general population, 477

Rose KJ, Burns J, Ryan MM, Ouvrier RA, North KN: Reliability of quantifying foot and ankle muscle strength in very young children, 626

Rossi A, see Gianneschi F

Roussanne-Domergue S, see César M

Rousseff RT, see Khurabet AJ

Rudnicki MA, see Parise G

Rupprecht TA, Elstner M, Weil S, Pfister HW: Autoimmune-mediated polyneuropathy triggered by borrelial infection?, 781

Russo TL, Peviani SM, Quagliotti Durigan JL, Salvini TF: Electrical stimulation increases matrix metalloproteinase-2 gene expression but does not change its activity in denervated rat muscle, 593

Rutkove SB, see Chin AB

Ryan HF Jr, see Kizilay F

Ryan MM, see Rose KJ

Rymer WZ, see Mirbagheri MM

S

Sabatelli M, see Gidaro T

Salimena MC, see Bani C

Salvini TF, see Russo TL

Sanders KA: Cervical myelopathy caused by retrograde intraneural dissection of anesthetic solution, 546

Santo Neto H, see Marques MJ

Sawada M, see Punga AR

Sawai S, see Nakata M

Scaglia F, Wong LJC: Human mitochondrial transfer RNAs: Role of pathogenic mutation in disease, 150

Schaat G, see Drost MR

Schenk P, see Pulkovski N

Schlinder De-Lap B, see Yoon T

Schmid A, see Attarian S

Schneider-Gold C, see Lee DH

Schwartz KM, see McClelland S III

Seidel G, see Voustianiouk A

Sekijima Y, see Tojo K

Seror P, Krahn M, Laforet P, Leturcq F, Maisonneuve T: Complete fatty degeneration of lumbar erector spinae muscles caused by a primary dysferlinopathy, 410

Shamim E, see Richardson SP

Shansky J, see Vandenburg H
 Shimizu T, see Kuwabara S
 Shinobu L, see Cashman N
 Shook SJ, Mamsa H, Jen JC, Baloh RW, Zhou L: Novel mutation in *KCNA1* causes episodic ataxia with paroxysmal dyspnea, 399
 Singer MA, Lazaridis C, Nations SP, Wolfe GI: Reversible nitrous oxide-induced myeloneuropathy with pernicious anemia: Case report and literature review, 125
 Sinha S, see Wen H
 Sinreich M, see Nadeau A
 Sipilä S, see Wen H
 Sivak M, see Voustianiouk A
 Smith S, Menkes DL: Coincident membranous glomerulonephritis and chronic inflammatory demyelinating polyradiculoneuropathy: Questioning the autoimmunity hypothesis, 130
 Soltow QA, see Betters JL
 Sommer C, see Vlcková-Moravcová E
 Sonoo M, see Kuwabara S
 Spuler S, see Meyer T
 Stålberg EG, see Punga AR
 Stålberg EV, see Kouyoumdjian JA
 Stegeman DF, see Blijham PJ; Kleine BU
 Stough DK, see McClelland S III
 Strichartz GR, see Gerner P
 Struyk AF, Cannon SC: Paradoxical depolarization of Ba^{2+} -treated muscle exposed to low extracellular K^{+} : Insights into resting potential abnormalities in hypokalemic paralysis, 326
 Stübgen JP: Tumor necrosis factor- α antagonists and neuropathy, 281
 Sutliff MH, see McClelland S III

T

Takamaki A, see Haginomori SI
 Takenaka H, see Haginomori SI
 Takubo T, see Haginomori SI
 Taniguchi S, see Taniguchi S
 Taniguchi S, Kimura J, Yanagisawa T, Okada F, Yamada T, Taniguchi S, Ootsuka T: Rest-induced suppression of anterior horn cell excitability as measured by F waves: Comparison between volitionally inactivated and control muscles, 343
 Tan LY, see Cashman N
 Tarnopolsky MA, see Robertshaw HA
 Tasca G, see Gidaro T
 Terry ME, see Riley ZA
 Testa C, see Martinuzzi A
 Therrien C, see Nadeau A
 Thorrez L, see Vandenburg H
 Tojo K, Sekijima Y, Machida K, Tsuchiya A, Yazaki M, Ikeda SI: Amyloidogenic transthyretin Val30Met homozygote showing unusually early-onset familial amyloid polyneuropathy, 796

The Tokyo Metropolitan Neuromuscular Electrodiagnosis Study Group, see Kuwabara S
 Tonon C, see Martinuzzi A
 Toyka KV, see Vlcková-Moravcová E
 Tremblay MH, see Côté CH
 Trevisi E, see Martinuzzi A
 Troni W, see Isoardo G
 Tsao CC, see Mirbagheri MM
 Tsuchiya A, see Tojo K

U

Uncini A, see Capasso M; Notturmo F
 Usenius JP, see Wen H

V

Vacz S, see Foley JL
 Valentini R, see Vandenburg H
 van Cepelle CI, see Drost MR
 Vandenburg H, Shansky J, Benesch-Lee F, Barbata V, Reid J, Thorrez L, Valentini R, Crawford G: Drug-screening platform based on the contractility of tissue-engineered muscle, 438
 van der Ploeg AT, see Drost MR
 van der Vusse GJ, see Drost MR
 Van Diggelen OP, see Massa R
 van Dijk P, see Drost MR
 van Engelen B, see Voermans N
 Van Landeghem F, see Meyer T
 Varsani H, Newton KR, Li CK, Harding B, Holton JL, Wedderburn LR: Quantification of normal range of inflammatory changes in morphologically normal pediatric muscle, 259
 Vasconcelos OM, see Lupu VD
 Vedel JP, see Attarian S
 Verleye M, see Giannesini B
 Vivodtzev I, Flore P, Lévy P, Wuyam B: Voluntary activation during knee extensions in severely deconditioned patients with chronic obstructive pulmonary disease: Benefit of endurance training, 27
 Vlcková-Moravcová E, Bednarik J, Dušek L, Toyka KV, Sommer C: Diagnostic validity of epidermal nerve fiber densities in painful sensory neuropathies, 50
 Voermans N, van Engelen B: Cervical myelopathy caused by retrograde intraneural dissection of anesthetic solution, 546
 Voustianiouk A, Seidel G, Panchal J, Sivak M, Czaplinski A, Yen A, Appel SH, Lange DJ: ALSFRS and Appel ALS scores: Discordance with disease progression, 668
 Vucic S, Kiernan MC: Normal axonal ion channel function in large peripheral

nerve fibers following chronic ciguatera sensitization, 403

W

Wada SI, see Haginomori SI
 Wakamoto H, Chisaka A, Inoue N, Nakano N: Childhood multifocal acquired demyelinating sensory and motor neuropathy, 790
 Walker FO, see Cartwright MS
 Weber JR, see Münch C
 Wedderburn LR, see Varsani H
 Weil S, see Rupprecht TA
 Wen H, Dou Z, Finni T, Havu M, Kang Z, Cheng S, Sipilä S, Sinha S, Usenius JP, Cheng S: Thigh muscle function in stroke patients revealed by velocity-encoded cine phase-contrast magnetic resonance imaging, 736
 Wolfe GI, see Singer MA
 Wollmann RL, see Anderson JA
 Wong IJC, see Scaglia F
 Wu Y, see Garces-Sanchez M; Zhao J
 Wuyam B, see Vivodtzev I
 Wu YR, see Huang YC

Y

Yamada T, see Taniguchi S
 Yanagisawa T, see Taniguchi S
 Yazaki M, see Tojo K
 Yen A, see Voustianiouk A
 Yoon JS, see Cartwright MS
 Yoon T, Schlinder De-Lap B, Griffith EE, Hunter SK: Age-related muscle fatigue after a low-force fatiguing contraction is explained by central fatigue, 457
 Yousefi M, see Cashman N
 Yu GR, see Huang YC

Z

Zeldenrust S, see Garces-Sanchez M
 Zhang Y, see Zhao J
 Zhao J, Zhang Y, Zhao W, Wu Y, Pan J, Bauman WA, Cardozo C: Effects of nandrolone on denervation atrophy depend upon time after nerve transection, 42
 Zhao W, see Zhao J
 Zhou L, see Shook SJ
 Zinman L, Baryshnik D, Bril V: Surrogate therapeutic outcome measures in patients with myasthenia gravis, 172
 Zu Hörste GM, Hu W, Hartung HP, Lehmann HC, Kieser BC: The immunocompetence of Schwann cells, 3
 Zwarts MJ, see Blijham PJ; Kleine BU; Pillen S

MUSCLE & NERVE



Official Journal of the American Association of Neuromuscular & Electrodiagnostic Medicine

SUBJECT INDEX TO VOLUME 37

A

Abductor digiti minimi, 343
Accuracy, 376
Acetylcholine receptors, 141, 448
Acetylcholinesterase inhibitors, 300
Acute sensory ataxic neuropathy, 265
Adipose tissue, 219
Adult brachial plexus palsy, 632
Adult muscle stem cells, 611
Adult polyglucosan body disease, 530
Age differences, 457
Age-related muscle fatigue, 457
Aging, 376, 467
American Association of Neuromuscular & Electrodiagnostic Medicine (AANEM) monograph, 293
Amplification-resistant mutation system (ARMS), 731
Amyloidogenic transthyretin Val30Met, 796
Amyloidosis, 490
Amyotrophic lateral sclerosis, 120, 364, 396, 426, 473, 620, 668
Amyotrophic Lateral Sclerosis Functional Rating Scale (ALSFRS), 473, 668
Anemia, 125
Anesthetics, 421, 546, 547
Anisotropy, 560
Ankle muscle strength, 626
Anterior horn cells, 343
Anti-ganglioside antibodies, 265
Antibodies, 104, 265, 269, 490
APPEL ALS (AALS), 668
Ataxia, 107, 399
Ataxic neuropathy, 265
Autoantibody, 537
Autoimmunity, 130, 781
Autosomal-recessive recessive spastic ataxia of Charlevoix-Saguenay, 107

B

Baclofen, 396
Belly-tendon electromyography, 700
Bilateral drop foot, 778
Biopsy, 79
Bladder dysfunction, 537
Borrelia infection, 781
Bowel dysfunction, 537
Brachial plexus palsy, 632
Brain, 530
Bulbosacral muscle atrophy, 659

C

Cachexia, 190
Calcium channel gene (CACNA1S), 120
Carpal tunnel syndrome, 183, 477, 673, 804
Case reports, 125
Cauda equina syndrome, 421
Cell transplantation, 219
Cervical myelopathy, 546, 547
Charcot-Marie-Tooth disease, 256, 601
Charlevoix-Saguenay ataxia, 107
Childhood multifocal acquired demyelinating sensory and motor neuropathy, 790
Children, 626
Chloride channel CLC-1, 317
Chromosome 17p11.2-12 duplication, 256
Chronic ciguatera sensitization, 403
Chronic inflammatory demyelinating polyneuropathy, 406, 790
Chronic inflammatory demyelinating polyradiculoneuropathy, 130
Chronic neuropathy, 130, 506, 537, 790
Chronic obstructive pulmonary disease, 27
Ciguatera sensitization, chronic, 403
Cine phase-contrast magnetic resonance imaging, 736
Cold exposure, 23
Compound muscle action potential, 14, 426, 764
Computer simulation, 68
Concentric needle electrodes, 694
Confocal microscopy, 558
Congenital myasthenic syndromes, 448
Contractions, 650, 745
Conus medullaris tumor, 778
Cortical dysfunction, 364
Corticosteroid myopathy, 203
Corticotropin-releasing factor 2 receptor, 190
Critical illness myopathy, 14, 196
Cromolyn, 61
Current perception threshold, 514, 805
Cystic fibrosis transmembrane conductance regulator, 262

D

Danon disease, 338
Dementia, 111
Demyelinating polyneuropathy, 406, 790
Demyelinating polyradiculoneuropathy, 130

Denervation atrophy, 42
Denervation muscle biopsy, 79
Depolarization, 326
Diabetes mellitus type 1, 231
Diaphragm, 518
Differential diagnosis, 293
Digital short afferent inhibition, 358
Direct muscle stimulation, 14
Disodium cromoglycate, 61
Dissociated muscle atrophy, 426
Docking protein 7 gene (DOK7), 448
Dog bite, 262
Doppler imaging, 638
Drop foot, 778
Drug screening, 438
Duchenne muscular dystrophy, 61, 438, 731
Dysferlinopathy, 410
Dyspnea, 399
Dystonia, 358
Dystrophin deficiency, 61

E

Elbow, 387
Electrical anisotropy, 560
Electrical impedance myography, 555, 560
Electrical stimulation, 593
Electromyography, 172, 522, 555, 700, 745
Endoplasmic reticulum, 317
Endotoxemia, 496
Endpoint accuracy, 376
Endurance training, 27
Energetics, 496
Energy supply, 496
Enzyme replacement therapy, 251
Epidermal nerve fiber density, 50
Episodic ataxia, 399
Exercise, 231, 496, 601, 611
Exercise testing, 572
Extensor digitorum communis, 694

F

F waves, 343
Facial-onset sensory neuropathy, 659
Facial palsy, 764
Faciobrachial neuropathy, 659
Faciocapulothoracic muscular dystrophy, 526
Familial amyloid polyneuropathy, 796
Fasciculation potentials, 90
Fatigue, 601
Fatty degeneration, 410

First dorsal interosseous muscle, 343
 Fluorophore, 104
 Foot muscle strength, 626
 Forkhead transcription factor 3 (FoxO3a), 84
 Forkhead transcription factor 4 (FoxO4), 505
 Frontotemporal dementia, 111

G

Ganglioside GD1b, 265
 Ganglioside GQ1b, 265
 Gene mutations, 111, 120, 150, 317, 338, 399, 448, 530
 Gene polymorphisms, 731
 Glomerulonephritis, 130
 Glucocorticoids, 203
 Glucose transporter 4, 431
 Glycogen branching enzyme gene (*GBE1*), 530
 Glycoprotein antibodies, 490
 Granulocyte colony-stimulating factor, 620
 Guillain-Barré syndrome, 256, 544
 Guyon's canal, 183, 673

H

H-reflex recruitment, 483
 Hirayama disease, 115, 576
 Homozygosity, 796
 Horner's syndrome, 632
 Hyperexcitability, 269
 Hypokalemic periodic paralysis, 120, 326

I

Immune system, 3
 Immunoglobulin, 172, 406
 Immunoglobulin M amyloidosis, 490
 In vivo confocal microscopy, 558
 Inclusion-body myopathy, 111
 Inclusion-body myositis, 473
 Inclusion-body myositis functional rating scale, 473
 Infection, 781
 Inflammation, 754
 Inflammatory changes, 259
 Inflammatory demyelinating polyneuropathy, 406, 790
 Inflammatory demyelinating polyradiculoneuropathy, 130
 Innervation-zone distribution, 68
 Insulin-like growth factor 1, 438
 Intensity stimulation, 770
 Interspike interval analysis, 269
 Interval-training exercise, 601
 Intracellular action potential, 700, 703
 Intracutaneous nerve fiber density, 50
 Intraepidermal nerve fibers, 557
 Intraneural anesthetics, 546, 547
 Intravenous immunoglobulin, 172, 406
 Isaacs' syndrome, 269
 Italy, 111

J

Jitter values, 694

K

Kinematics, 387
 Kinetics, 387
 Knee extension, 27

L

Lambert-Eaton syndrome, 572, 786
 Large-cell neuroendocrine carcinoma of the lung, 786
 Late-onset monomelic amyotrophy, 115
 Lateral femoral cutaneous nerve, 101
 Leukocytes, 754
 Lewis-Sumner syndrome, 790
 Limb-girdle muscular dystrophy 1A, 663
 Limb-girdle muscular dystrophy 2C, 308
 Literature review, 125
 Local anesthetics, 421
 Lumbar erector spinae muscles, 410
 Lung cancer, 190
 Lung carcinoma, 786
 Lysosomal-associated membrane protein 2 gene (*LAMP2*), 338

M

Macro motor unit potentials, 700
 Magnetic resonance imaging, 557, 736
 Magnetic resonance neurography, 556
 Magnetic resonance spectroscopy, 530
 Manual asymmetry, 376
 Masseter muscle, 522
 Mast cells, 754
 Matrix metalloproteinase-2, 593
 McArdle's disease, 350, 431
mdx gene, 583, 731
mdx muscle regeneration, 583
 Meissner corpuscles, 558
 Membranous glomerulonephritis, 130
 Meralgia paresthetica, 101
 Metalloprotease, 583
 Microscopy, 558
 Mitochondrial transfer RNA, 150
 Möbius syndrome, 526
 Monomelic amyotrophy, 115
 Motor complications, 421
 Motor cortex, 177
 Motor evoked potentials, 177
 Motor unit action potential, 650
 Motor-unit discharge frequency, 231
 Motor unit number estimation, 556
 Motor unit potential analysis, 518
 Motor unit potentials, 518, 700, 703
 Motor unit recruitment, 210, 745
 Multichannel surface electromyography, 90
 Multifocal acquired demyelinating sensory and motor neuropathy, 790
 Muscle, 560
Muscle & Nerve, 1
 Muscle activation, 27
 Muscle activity onset, 638
 Muscle atrophy, 659
 Muscle cramps, 90
 Muscle damage, 754
 Muscle fatigue, 231, 457
 Muscle-fiber conduction velocity, 14, 23, 68
 Muscle-fiber phenotyping, 104

Muscle fiber type 1, 251
 Muscle fiber type 2a, 251
 Muscle-fiber velocity recovery function, 650
 Muscle magnetic resonance imaging, 557
 Muscle precursor cells, 84
 Muscle regeneration, 583
 Muscle ring finger 1, 505
 Muscle sarcoidosis, 262
 Muscle satellite cells, 203, 611
 Muscle stem cells, 611
 Muscle strength, 626
 Muscle ultrasound, 557, 679
 Muscle wasting, 190
 Muscle weakness, 438
 Muscular dystrophy, 308, 438, 526, 663, 731
 Mutations, 111, 120, 150, 317, 338, 399, 448, 530
 Myasthenia gravis, 141, 172, 300, 522, 544
 Myasthenic syndromes, 448
 Myelin-associated glycoprotein antibodies, 490
 Myeloneuropathy, 125
 Myofiber regeneration, 583
 Myogenesis, 79
 Myogenic progenitor cells, 611
 Myogenin, 505
 Myosin heavy chain, 104
 Myosin-specific antibodies, 104
 Myostatin, 308
 Myotilin, 663
 Myotonia congenita, 317
 Myotonic disorders, 293
 Myotoxicity, 422

N

Nandrolone, 42
 Nerve conduction, 241
 Nerve conduction study, 36, 426
 Nerve fiber density, 50
 Nerve ultrasound, 566
 Neuromuscular disorders, 679
 Neuromuscular electrical stimulation, 90
 Neuromyotonia, 269
 Neuropathy, 281, 490, 537
 Nitric oxide, 125, 196, 203
 Nitric oxide synthase, 196
 Nodular-type muscle sarcoidosis, 262
 Number of turns per second, 703

O

Obstetric brachial plexus palsy, 632
 Obstructive pulmonary disease, 27
 Occupational hazards, 477
 Old adults, 376, 467
 Onset of muscle activity, 638
 Orbicularis oculi muscles, 694
 O'Sullivan-McLeod syndrome, 115

P

Pain, spasticity-related, 396
 Pain relief, 396
 Painful sensory neuropathy, 50
 Palsy, 764
 Paralysis, 120

Paramyotonia congenita, 23
 Paraplegia, 505
 Paroxysmal dyspnea, 399
 Pediatric muscle, 259, 626
 Perception threshold testing, 514, 805
 Periodic paralysis, 120
 Peripheral blood stem cells, 620
 Peripheral nerve fibers, 403
 Peripheral nerve regeneration, 721
 Peripheral nerve toxicity, 422
 Peripheral nerve ultrasound, 556
 Peripheral nervous system, 3, 269
 Pernicious anemia, 125
 Phase-contrast magnetic resonance imaging, 736
 Phenotype, 104, 448
 Phillips, Lawrence H. II, 1
 Phosphofructokinase, 431
 Phrenic nerve conduction studies, 36
 Physical activity, 467
 p27^{Kip1}, 84
 Polio, 177
 Polyneuropathy, 406, 781
 Polyradiculoneuropathy, 130
 Pompe disease, 251
 Potassium, 326
 Potassium channel antibodies, 269
 Potassium channel gene *KCNA1*, 399
 Potassium channels, 326
 Practice, 376
 Precursor cells, 219
 Prednisolone, 203
 Progressive muscle atrophy, 120
 Protein kinase B, 505
 Protein synthesis, 505
 Proton magnetic resonance spectroscopy, 530
 Pulmonary disease, 27
 Pulse-width, 483

Q

Quantitative motor unit potential analysis, 518
 Quantitative Myasthenia Gravis Score (QMGS), 172

R

Ramipril, 350
 Recessive spastic ataxia of Charlevoix-Saguenay, 107
 Reference values, 566
 Reinnervation, 219
 Retrograde intraneural anesthetics, 546, 547
 Ribosomal S6 kinase I, 505

S

Sarcoidosis, 262
 Sarcolemma leakiness, 61
 Satellite cells, 203
 Schwann cells, 3
 Sciatic nerve, 241
 Sensitization, ciguatera, 403
 Sensory ataxic neuropathy, 265
 Sensory complications, 421
 Sensory nerve action potentials, 101
 Sensory neuropathy, 50, 659
 Short afferent inhibition, 358
 Single-fiber electromyography, 172, 522, 700
 Single-nucleotide polymorphisms, 731
 Skeletal muscle, 190, 219, 467, 496, 505, 583
 Skeletal muscle injury, 754
 Slowing, 23
 Small hand muscle, 426
 SNaPshot assay, 731
 Sodium channels, 403, 721
 Spain, 107
 Spastic ataxia, 107
 Spasticity-related pain, 396
 Spinal cord injury, 210
 Spinal dysfunction, 364
 Spinal muscular atrophy, 115
 Sporadic bulbospinal muscle atrophy, 659
 Statins, 438
 Stem cells, 611, 620
 Stimulation intensity, 770
 Stroke, 387, 736
 Subepidermal nerve fiber density, 50

Surface electromyography, 745
 Sustained contractions, 745

T

Taiwan, 576
 Task differences, 457
 Telomere length, 467
 Thermal-vibratory testing, 514, 805
 Thigh muscle, 736
 Threshold frequency, 90
 Tissue Doppler imaging, 638
 Toxicity, 422
 Transcranial magnetic stimulation, 177
 Transfer RNA, 150
 Transient neurological syndrome, 421
 Transplantation, 219
 Transthyretin Val30Met, 796
 Tumor growth, 190
 Tumor necrosis factor- α , 281
 Tumors, 778
 Turn amplitude, 703
 Turns per second, 703

U

Ulnar sensory nerve, 183, 673
 Ultrasound, 241, 556, 557, 566, 679

V

Valosin-containing gene (VCP), 111
 Velocity-encoded cine phase-contrast magnetic resonance imaging, 736
 Velocity recovery function, 650
 Very young children, 626
 Voluntary activation, 27
 Voluntary contractions, 650

W

Work, 477
 Wrist, 183, 673

